

10/699,027 INTERFERENCE SEARCH HISTORY PRINTOUT

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((light source) and (coaxial\$4 with reflector) and (light with radial\$6 with project\$6) and frame and (transparent with ribs)).clm.	US-PGPUB	2005/09/23 18:31

	Type	Hits	Search Text	DBs
1	BRS	144750	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	33435	(light bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	172541	S1 or S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	50029	(light with bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	187642	S1 or S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	9367	S5 and (blue and red and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1	S6 and batter\$4 and (reflector with radial\$5 with project\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	737	S6 and batter\$4 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	36	S6 and batter\$4 and (reflect\$6 with radial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	3190	S5 and (radial\$5 with (project\$5 or reflect\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1002	S5 and (radial\$5 (project\$5 or reflect\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	329	S5 and (radial\$5 (project\$5 or reflect\$6)) and batter\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	5	S9 and (radial\$5 (project\$5 or reflect\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	8	S5 and (road flare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1	portable (road flare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	2699	362/153,153.1,298,340,342,346,347.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	661	S16 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	10	S17 and batter\$4 and (reflect\$6 with radial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	78	S17 and (reflect\$6 with radial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	78	S18 or S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	5637	lantern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	724	lantern and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	47	S21 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	8	S21 and S10 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	3	("6543911" or "6607286" or "6364506" or "6679618" or "5929788" or "6065848").pn.	USPAT
26	BRS	6	("6543911" or "6607286" or "6364506" or "6679618" or "5929788" or "6065848").pn.	USPAT
27	BRS	7878	S1 and (blue and red and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
28	BRS	0	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	S26 and (blue and red and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	4	"664014".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	17	("6086216" or "6490045" or "3744117" or "675876" or "5664866" or "3818218" or "3648045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	6	("6086216" or "6490045" or "3744117" or "675876" or "5664866" or "3818218" or "3648045").pn.	USPAT
33	BRS	0	S32 and S1	USPAT
34	BRS	0	S32 and (blue and red and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	8304	362/35,540,542,186,230,231,234,240,241,244,245,276,297,800,802.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	362/153,153.1,298,340,342,346,347,231ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	0	362/153,153.1,298,340,342,346,347,231ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	3296	362/153,153.1,298,340,342,346,347,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	362/153,153.1,298,340,342,346,347,231.ccls. and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	7	362/153,153.1,298,340,342,346,347,231.ccls. and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	S37 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	426	S35 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	1	S42 and (reflector with radial\$5 with project\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	17	S42 and (reflector with radial\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	88	S42 and reflector and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	292	362/153,153.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	125	362/153,153.1.ccls. and ((light source) or (light emitting diod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	12686	362/35,153,153.1,183,186,167,194,200,208,227,230,231,240,241,244,245,253,276,296-299,310,341,346,347,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	1814	340/908.1,908,473,332,468,478.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	14356	S48 or S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	144854	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	33455	(light bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	172660	S51 or S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
54	BRS	8895	S53 and (blue and red and green and white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	2184	S54 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	213	S54 and reflector and radial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	247	S55 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	208	S57 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	20	S55 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	17691	S53 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	1376	S53 and (reflector with above with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	256	S53 and (reflector with above with light) and radial\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	243	S62 not S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	234	S63 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	5	("4929866" "5045885" "5136483" "5148146" "5567036").PN.	US-PGPUB; USPAT; USOCR
66	BRS	20	("5642933").URPN.	USPAT
67	BRS	8	("5105347" "5224773" "5530633" "5608290" "5642933" "5838247" "5865529" "5929788").PN.	US-PGPUB; USPAT; USOCR
68	BRS	1	("6364506").URPN.	USPAT
69	IS&R	6	((("5105347") or ("6679618") or ("6543911") or ("3634675") or ("5929788") or ("5608290")).PN.	USPAT
70	BRS	11	("3784809" "5006971" "5361190" "5517388" "5528474" "5585783" "5642933" "5806965" "5838247" "5890794" "6183100").PN.	US-PGPUB; USPAT; USOCR
71	BRS	0	("6679618").URPN.	USPAT
72	BRS	17	("1676463" "1888995" "3610912" "3852584" "3875561" "4337759" "5103381" "5105347" "5629996" "5785410" "5926320" "5929788" "5951144" "6028535" "6048083").PN.	US-PGPUB; USPAT; USOCR
73	BRS	0	("6543911").URPN.	USPAT
74	BRS	27	("2017716" "2740103" "3399400" "3504339" "3551676" "3875561" "4929866" "5039832" "5105347" "5136483" "5175528" "5313187" "5313188" "5428912" "5530633" "5542201" "5594433" "5608290" "5642933" "5694112" "D274003" "D363250").PN.	US-PGPUB; USPAT; USOCR
75	BRS	39	("5929788").URPN.	USPAT
76	BRS	11	("1834041" "2740103" "3266014" "4826269" "5224773" "5252893" "5321591" "5519287").PN.	US-PGPUB; USPAT; USOCR

77	BRS	19	("5608290").URPN.	USPAT
----	-----	----	-------------------	-------

	Type	Hits	Search Text	DBs
78	BRS	15	("1248688" "1877785" "1883803" "1904248" "3264463" "3634675" "4004132" "4591960" "4739456" "4740874").PN.	US-PGPUB; USPAT; USOCR
79	BRS	22	("5105347").URPN.	USPAT
80	BRS	18	("1469690" "1686656" "1793663" "1814669" "2191379" "3264463" "3403249" "3443086" "3504339").PN.	US-PGPUB; USPAT; USOCR
81	BRS	17	("3634675").URPN.	USPAT
82	IS&R	7	((("6464373") or ("6554441") or ("6364506") or ("1904248") or ("1248688") or ("1877785") or ("3264463")).PN.	USPAT
83	BRS	5	("3596237" "5293304" "5446277" "5929788" "6278382").PN.	US-PGPUB; USPAT; USOCR
84	BRS	0	("6554441").URPN.	USPAT
85	BRS	8	("5105347" "5224773" "5530633" "5608290" "5642933" "5838247" "5865529" "5929788").PN.	US-PGPUB; USPAT; USOCR
86	BRS	1	("6364506").URPN.	USPAT
87	BRS	5	("3596237" "5293304" "5446277" "5929788" "6278382").PN.	US-PGPUB; USPAT; USOCR
88	BRS	4	("5642933" "5838247" "5947587" "6234648").PN.	US-PGPUB; USPAT; USOCR
89	BRS	0	("6464373").URPN.	USPAT
90	BRS	11	("3264463").URPN.	USPAT
91	BRS	3	("1904248").URPN.	USPAT
92	BRS	3	("1877785").URPN.	USPAT
93	BRS	4	("1248688").URPN.	USPAT
94	BRS	12695	362/35,153,153.1,183,186,167,194,200,208,227,230,231,240,241,244,245,253,276,296-299,310,341,346,347,800.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	1816	340/908.1,908,473,332,468,478.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	14367	S94 or S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	340	S96 and (coni\$6 with reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	116	S96 and (coni\$6 with reflector) and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	8	S96 and (invert\$5 with coni\$6 with reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	10	S96 and (invert\$5 same (coni\$6 with reflector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	4	("3764799" "4104615" "4254405" "5530633").PN.	US-PGPUB; USPAT; USOCR
102	BRS	9	("2810065" "2846663" "3139604" "3633161" "3710098" "3764799").PN.	US-PGPUB; USPAT; USOCR
103	BRS	15	("4104615").URPN.	USPAT
104	BRS	145025	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	33487	(light bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	172850	S104 or S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
107	BRS	13	reflector with radial projection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	S106 and 362/346 and "347".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	298	S106 and 362/346,347.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	217	S106 and (radial with reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	281	S109 not S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	6	("4013915" "4965488" "5323300" "5769532" "6296376" "6488392").PN.	US-PGPUB; USPAT; USOCR
113	BRS	0	("6637921").URPN.	USPAT
114	BRS	11	("2538475" "2724766" "2835789" "3450870" "3596136" "3638009" "3676668").PN.	US-PGPUB; USPAT; USOCR
115	BRS	20	("3774021").URPN.	USPAT
116	BRS	50	road flare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	1793	(reflector with radial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
118	BRS	22	reflector with (invert\$4 cone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
119	BRS	1813	S117 or S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	220	S106 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	3	S120 not S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	11	("2797367" "3519984" "4272799" "4346430" "4477796" "4768136" "4827245" "4862164" "4866450").PN.	US-PGPUB; USPAT; USOCR
123	BRS	5	("5559510").URPN.	USPAT
124	BRS	297	340/953-956.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	2	S124 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	43	S124 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
127	IS&R	1	("6533446").PN.	USPAT
128	BRS	10	("2420772" "2614203" "5105347" "5134550" "5406466" "5436812" "6168294" "6280057").PN.	US-PGPUB; USPAT; USOCR
129	BRS	1	("6533446").URPN.	USPAT
130	BRS	145025	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	11	S130 with (two electrodes with circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	4	("4240032" "5214525" "5381103" "5444390").PN.	US-PGPUB; USPAT; USOCR
133	BRS	0	("6600585").URPN.	USPAT
134	IS&R	1	("6533446").PN.	USPAT

135	IS&R	6	(("6679618") or ("5608290") or ("6543911") or ("6464373") or ("6600585") or ("6637921")).PN.	USPAT
-----	------	---	--	-------

	Type	Hits	Search Text	DBs
136	IS&R	0	("2andbatter\$\$andreflector").PN.	USPAT
137	BRS	3047	S130 and batter\$4 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
138	BRS	2	S130 and batter\$4 and (reflector with invert\$4 with cone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
139	BRS	1690	S130 and batter\$4 and reflector and lamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
140	BRS	76	S130 and batter\$4 and (reflector with radial\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
141	BRS	23	"5608290"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	IS&R	1	("5608290").PN.	USPAT
143	BRS	2	"5608290".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
144	BRS	2	"6533446".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
145	IS&R	1	("3634675").PN.	USPAT
146	BRS	8526	362/35,540,542,186,230,231,234,240,241,244,245,276,297,800,802.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
147	BRS	3377	362/153,153.1,298,340,342,346,347,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
148	BRS	2143	340/908.1,908,473,332,468,478,332,953-956.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
149	BRS	12575	S146 or S147 or S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
150	BRS	0	S149 and @ad < "2031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
151	BRS	153775	light emitting diod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
152	BRS	34806	(light bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
153	BRS	182417	S151 or S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
154	BRS	51932	(light with bulb) or (incandescent with bulb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
155	BRS	197942	S151 or S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
156	BRS	29	S155 and batter\$4 and (reflector with radial\$5 with project\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
157	BRS	314	S155 and (coaxial\$5 with reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
158	BRS	7	S155 and (coaxial\$5 with reflector) and (radially with project\$5 with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
159	BRS	287	S155 and (radially with project\$5 with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
160	BRS	287	S158 or S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
161	BRS	49	S160 and rib\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
162	BRS	238	S160 not S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
163	BRS	4640	362/153,153.1,298,302,305,310,310,308,340,342,346,347,231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

164	BRS	13704	S146 or S163 or S148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
-----	-----	-------	----------------------	--

	Type	Hits	Search Text	DBs
165	BRS	51	S164 and S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
166	BRS	13	S164 and S160 and rib\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
167	BRS	3566	362/540,542,297,153,153.1,398.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
168	BRS	0	S167 and @ad < "2031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
169	BRS	2803	S167 and @ad < "20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
170	BRS	988	S169 and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
171	BRS	48	S169 and reflector and S155 and rib\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
172	BRS	15	S169 and reflector and (radial\$4 with project\$5 with light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
173	BRS	438	S169 and reflector and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB